EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	network and ((manag$6 with resource$1) same (xML near3 document near3 defin$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:31
L2	347	network and (manag$6 with resource$1) and (xML near3 document near3 defin$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:32
L3	12	network and (manag$6 with resource$1) and (xML near3 document near3 defin$5) and (property near page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:52
L4	10	network and (manag$6 with resource$1) and (xML near3 document near3 defin$5) and (property near page) and (property near sheet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/09 16:33
L5	7	((property near page) and (property near sheet)).clm.	US-PGPUB	OR	ON	2006/11/09 16:52

IEEE Xplore
RELEASE 2.1

Search Results
BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "('property page' and 'property sheet'<in>metadata)"
Your search matched 0 documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

✉ e-mail

» Search Options

View Session History

New Search

Modify Search

| ('property page' and 'property sheet'<in>metadata) | Search |

☐ Check to search only within this results set

Display Format: ⊙ Citation ○ Citation & Abstract

» Key

▣ Indicates full text access

|	
IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Help   Contact Us   Privacy & :

© Copyright 2006 IEEE –

Indexed by
▣ Inspec°

Google

Web   Images   Video   News   Maps   more »

"property page" and "property sheet"   Search   Advanced Search
                                                      Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **62,700** for **"property page"** and **"property sheet"**. (0.50 seconds)

Visual C++ 6 Unleashed > Creating a **Property Sheet**
You should bear in mind, however, that the final size of the property sheet will be based on
the largest **property page** it contains. ...
www.samspublishing.com/library/content.asp?b=Visual_C_PlusPlus&seqNum=77 - 39k -
Cached - Similar pages

Visual C++ 6 Unleashed > Responding to **Property Sheet** Messages
After the **property sheet** has been displayed, the first message that is sent to the initial
property page is the WM_INITDIALOG message. ...
www.samspublishing.com/library/content.asp?b=Visual_C_PlusPlus&seqNum=78 - 35k -
Cached - Similar pages
[More results from www.samspublishing.com]

The Code Project - Free Source Code and Tutorials
A scrollable **property page** that resizes the **property page** instead of the **property sheet.**
VC7, VC6, XP, W2K, Win9X, NT4, MFC ...
www.codeproject.com/property/ - 31k - Cached - Similar pages

CodeGuru: **Property Sheet**
Property Sheet Inside **Property Page** Rating: Victor M. Grinenko - 12/11/1999 Enables the
Embedding of a **Property Sheet** within a **Property Page** ...
www.codeguru.com/cpp/controls/propertysheet/ - 72k - Nov 8, 2006 -
Cached - Similar pages

Visual C++ 6 Unleashed > Customizing the Standard **Property Sheet**
You'll probably want to disable some of the buttons at various stages, and display a Finish
button on the last **property page.** The **property sheet's** ...
www.informit.com/library/content.asp?b=Visual_C_PlusPlus&seqNum=79 - 46k -
Cached - Similar pages

How-To Add Property Pages
A collection of property pages comprises a **property sheet.** Each **property page** typically
contains window controls for setting a group of related properties.
windowssdk.msdn.microsoft.com/en-us/library/ms692760.aspx - 13k -
Cached - Similar pages

Extending a Primary Snap-in's **Property Sheet**
An extension snap-in can extend the **property sheet** of a primary snap-in's node type ...
method to add each **property page** to the MMC-provided **property sheet.** ...
windowssdk.msdn.microsoft.com/en-us/library/ms694791.aspx - 14k -
Cached - Similar pages

MFC Prof-UIS Tour: Resizable **property sheet** and **property page**
Professional user interface solutions for MFC and .NET desktop applications. Feature-rich
GUI classes and components for C++, C# and VB.NET.
www.prof-uis.com/FeatureTour.aspx?view=tour_resizable_property_sheet_pp - 36k -
Cached - Similar pages

Amazon.com: "advanced **property sheet**": Key Phrase page

However, this sets the demo up for the more advanced **property sheet** and **property page** programming tasks that I'll cover in the next section. ... " ...
www.amazon.com/phrase/advanced-**property-sheet** - 65k - <u>Cached</u> - <u>Similar pages</u>

Shell+ Examples: **Property Sheet**

This component controls the creation of **property sheet** tabs. ... This example demonstrates how custom **property page** could be added to simple file. ...
www.shellplus.com/examples/**property-sheet**-example.html - 24k - <u>Cached</u> - <u>Similar pages</u>

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Free! Speed up the web. <u>Download the Google Web Accelerator</u>.

| "property page" and "property sheet" | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2006 Google

CiteSeer Find: [   ]   [Documents] [Citations]

Searching for **property page and property sheet**.
Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Expected citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Google (CiteSeer)</u>
<u>Google (Web)</u> <u>Yahoo!</u> <u>MSN</u> <u>CSB</u> <u>DBLP</u>
No documents match Boolean query. Trying non-Boolean relevance query.
500 documents found. **Order: relevance to query.**

<u>Techniques for Reducing Consistency-Related.. - Carter, Bennett.. (1993)</u> <u>(Correct)</u> <u>(59 citations)</u>
shared address space is divided in virtual memory **pages**. The local memory of each processor is used as a
www.cs.utah.edu/~retrac/papers/tocs95.ps.Z

<u>An Argument for Simple COMA - Saulsbury, Wilkinson, Carter, Landin (1995)</u> <u>(Correct)</u> <u>(46 citations)</u>
cannot be in a higher level cache either. This **property** reduces the overhead of **page** replacement. 5
software layer manages cache space allocation at a **page**-granularity -similarly to distributed virtual
www.cs.utah.edu/projects/avalanche/hpca95.ps.Z

<u>The Measurement of Textual Coherence with Latent Semantic.. - Foltz, Kintsch, Landauer (1998)</u> <u>(Correct)</u>
<u>(11 citations)</u>
of the word frequency. 4 Because of the nested **property** of words, sentences and larger segments and the
lsa.colorado.edu/papers/dp2.foltz.ps

<u>Nozomi - A Fast, Memory-Efficient Stack Decoder For Lvcsr - Schuster (1996)</u> <u>(Correct)</u>
www.aist-nara.ac.jp/IS/Shikano-lab/staff/1996/mike-s/papers/icslp98.ps.gz

<u>Human Gait Classification Based on Hidden Markov Models - Meyer (1997)</u> <u>(Correct)</u>
International Conference on Computer Vision (ICCV)**pages** 618-623, Boston, June 1995. IEEE Computer
www5.informatik.uni-erlangen.de/TeX/Literatur/ps-dir/1997/Meyer97:HGC.ps.gz

<u>Radio on Demand - Reimann, Rüffler</u> <u>(Correct)</u>
of our project is to obtain from our media **page** [WP]2 Introduction Designing multimedia
is not automated. It is bound to notes on a **sheet** of paper. InfoRadio-on-Demand is a service which
group of developers. In the design phase the form **sheets** were applied. The documentation of the system
www.prz.tu-berlin.de/docs/Publications/TUB-PRZ-W-1200.ps.gz

<u>Circulant preconditioners from B-splines - Chan, Tso, Sun (1997)</u> <u>(Correct)</u> <u>(2 citations)</u>
ftp.math.cuhk.edu.hk/report/97-19.ps.Z

<u>Copyright Protection for Electronic Publishing.. - Choudhury.. (1994)</u> <u>(Correct)</u> <u>(16 citations)</u>
if the threat to the publisher's intellectual **property** is no greater than it is now. In 4 Submitted
might be viewed as a scroll rather than distinct **pages** or with larger fonts on a video terminal.
with timing dependencies, or staff notation for **sheet** music. Coombs et al. refer to this format as
gaia.cs.umass.edu/pub/Chou9505:Copyright.ps.gz

<u>Riesz Composition Operators - Bourdon, Shapiro (1997)</u> <u>(Correct)</u>
us to conjecture that the "no-twisted-sectors" **property** introduced by Shapiro, Smith, and Stegenga in
equals j' 0 i)j (see e.g. 2, x298-300]6, **page** 51] or [16, **page** 57] for the full story)The
nyjm.albany.edu:8000/PacJ/1997/Bourdon-Shapiro.ps

<u>Dynamic Data Mining: Exploring Large Rule Spaces by Sampling - Brin, Page (1998)</u> <u>(Correct)</u> <u>(2 citations)</u>
is guided by a heuristic called the Heavy Edge **Property**. The system incorporates user feedback by
Rule Spaces by Sampling Sergey Brin and Lawrence **Page** Department of Computer Science Stanford
www-db.stanford.edu/~sergey/ddm.ps

<u>Profile-Driven Instruction Level Parallel Scheduling with.. - Chekuri Dept (1996)</u> <u>(Correct)</u> <u>(11 citations)</u>
the profile information and has the useful **property** that scheduling with respect to rank is provably
CA 94305 R. Johnson Hewlett Packard Labs 1501 **Page** Mill Rd Palo Alto, CA 94304 R. Motwani Dept. of
theory.stanford.edu/~chekuri/postscript/micro96.ps.gz

Wait-free Parallel Algorithms for the Union-Find Problem - Anderson, Woll (1994)   (Correct)   (33 citations)
to the data structure problem have the wait-free **property**, meaning that each thread continues to make
subject to additional delays such as interrupts and **page** faults. The user's view of this is that he has a
128.95.4.112/homes/anderson/papers/uf.ps

Eliminating Useless Messages in Write-Update Protocols .. - Bianchini, LeBlanc.. (1994)   (Correct)   (3 citations)
cache misses when the new value is needed. This **property** is particularly helpful when many processors
(which reduce the cost of writes)or may use **page**-based coherence [Bisiani and Ravishankar, 1990
over-relaxation of the temperature of a metal **sheet** represented by two 384 \Theta 384 matrices. Table
ftp.cs.rochester.edu/pub/papers/systems/94.tr539.Eliminating_useless_messages_in_write_update_protocols.ps.Z

Are "Disks in the Air" Just Pie in the Sky? - Zdonik (1994)   (Correct)   (11 citations)
Many new networked applications have the **property** that the communication channel between the
(i.e.in its memory or disk)it obtains the **page** from the BD (if possible)thereby avoiding the
www-ccs.cs.umass.edu/mobile/papers/os/zdonik.ps

Modeling versus Accuracy in EEG and MEG Data - Mosher, Leahy, Huang, Spencer   (Correct)
at each sensor, as we defined in [1]The key **property** of this metric is that it directly reflects
1997 (NFSI97)Graz, Austria Sep 25-28, 1997 **Page** 1 of 4 Los Alamos Technical Report No.
sipi.usc.edu/pub/leahy/papers/NFSI97.ps.Z

Scheduling Access To Temporal Data In Real-Time Databases - Xiong, Sivasankaran.. (1997)   (Correct)
(3 citations)
Database Systems: Issues and Applications, **pages** 167-192. Kluwer Academic Publishers, 1997.
www-ccs.cs.umass.edu/~sim/rtdb-chapter96.ps

From Vedic Science to Vedanta - Kak (1994)   (Correct)
gate.ee.lsu.edu/pub/kak/ved.ps

The ARANEUS Web-Base Management System - Mecca, Atzeni, Masci, Merialdo.. (1998)   (Correct)
(35 citations)
a hypertext and graphs are used to store data and **pages**. Some aspects of our work are also similar to
www.difa.unibas.it/Araneus/publications/sigmod98.ps.gz

Adding Flexibility to a Remote Memory Pager - Evangelos Markatos (1995)   (Correct)
Adding Flexibility to a Remote Memory **Pager** Evangelos P. Markatos George Dramitinos Computer
www.ics.forth.gr/arch-vlsi/OS/papers/1995.iwooos.ps.gz

Searching for Optimal Polygon - Application to the Pentagon Case - Dureisseix (1997)   (Correct)
simpler construction, figure 19, while using the **property**: I cos 20 =A. Steps 1 and 2: folding the
Exact constructions ffl Quoted from [Kasahara 89]**page** 253, figure 6. h A 1 1 1 5 -1 =
www.rug.nl/rugcis/rc/ftp/origami/articles/polye.ps

First 20 documents Next 20

Try your query at: Google (CiteSeer)   Google (Web)   Yahoo!   MSN   CSB   DBLP

YAHOO! SEARCH

Web | Images | Video | Audio | Directory | Local | News | Shopping

"property page" and "property sheet"

Answers   Search Services | Advanced Search   Preferences

Search Results   1 - 10 of about 27,300 for "**property page**" **and** "**property sheet**" - 0.31 sec. (About this page

1. **CodeGuru: Property Sheet Inside Property Page**
   Enables the Embedding of a **Property Sheet** within a **Property Page** By Victor M. Grinenko. ...
   Override OnInitDialog() for configure **property page and** start it Create ...
   www.codeguru.com/Cpp/controls/**propertysheet**/article.php/c595 - 67k - Cached - More from
   this site

2. **CodeGuru: Property Sheet**
   Enables the Embedding of a **Property Sheet** within a **Property Page** ... Modifying **property
   sheet** templates on Win95. Add a Font **Property Page**. Rating: none ...
   www.codeguru.com/cpp/controls/**propertysheet** - 74k - Cached - More from this site

3. Visual C++ 6 Unleashed > Customizing the Standard **Property Sheet**
   ... get to the **property sheet** object from a **property page and** access SetWizardButtons ...
   first **property page** without the header, with the **property sheet** background ...
   samspublishing.com/library/content.asp?b=Visual_C_PlusPlus&seqNum=79 - 45k - Cached -
   More from this site

4. Property Sheets
   A **property sheet** is a window that allows the user to view and edit the properties of ... A
   property page can contain a nested dialog box. ...
   msdn.microsoft.com/library/en-us/shellcc/platform/commctls/... - 39k - Cached - More from this
   site

5. **Property page** calling a **property sheet** - GIDForums
   Property page calling a **property sheet** MS Visual C++ / MFC Forum ... Re: **Property page**
   calling a **property sheet**. The Property Sheets A and B are called as below: ...
   www.gidforums.com/t-8129.html - More from this site

6. Visual C++ 6 Unleashed > Creating a **Property Sheet**
   ... each **property page** you want to include in your **property sheet**. ... the sample **property
   sheet** is constructed, two **property page** objects are instantiated and added. ...
   samspublishing.com/library/content.asp?b=Visual_C_PlusPlus&seqNum=77 - 39k - Cached -
   More from this site

7. BUG: MFC-WinCE **Property Page** with a Registered ActiveX Control
   Disappears from the **Property Sheet**
   ... is placed on the first page, the **property sheet** appears for a brief moment, and then ...
   Property Page with a Registered ActiveX Control Disappears from the ...
   support.microsoft.com/kb/q243457 - More from this site

8. Using Property Sheets in Your Application (Visual C++ Concepts)
   To use a **property sheet** in your application, complete the following steps: Create a dialog
   template resource for each **property page**.
   msdn.microsoft.com/library/en-us/vccore/html/...?frame=true - 16k - Cached - More from this
   site

9. Property Sheets and Property Pages

~~~ pages are grouped and hosted by an object called a **property sheet**. ... add an image
control to the Circular **property page and** set its Picture to Circular. ...
www.functionx.com/bcb/controls/**page**control.htm - 21k - <u>Cached</u> - <u>More from this site</u>

10. <u>FunctionX - Visual C++ - **Property Sheet**</u>
     This makes the **property sheet and** its **property page**(s) ready for to use. ... create it when
     invoking the **property sheet and** add the **property page**(s) as needed. ...
     functionx.com/visualc/articles/prop**sheet**1.htm - 33k - <u>Cached</u> - <u>More from this site</u>

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **Next**

| "property page" and "property sheet" | Search |

Yahoo! Answers: <u>**Search questions and answers**</u>